



AHELP for CIAO 3.4

guide

Context: [chandra](#)

Jump to: [Description](#) [Bugs](#) [See Also](#)

Synopsis

Grating User Interactive Data Extension (GUIDE)

Description

GUIDE functions, essentially, as an extension of Sherpa. At the most basic level, GUIDE can be used to store and retrieve models and model parameters (utilizing "MDL" files). One of its more advanced applications is in identifying spectral lines to derive physical conditions and differential emission measures.

GUIDE derives much of its power from the S-Lang scripting language.

Bugs

See the [Sherpa bug pages](#) online for an up-to-date listing of known bugs.

See Also

calibration

[caldb](#)

chandra

[coords](#), [isis](#), [level](#), [pileup](#), [times](#)

chips

[chips](#)

concept

[autoname](#), [parameter](#), [stack](#), [subspace](#)

dm

[dm](#), [dmbinning](#), [dmcols](#), [dmfiltering](#), [dmimages](#), [dmimfiltering](#), [dmintro](#), [dmopt](#), [dmregions](#), [dmsyntax](#)

gui

[gui](#)

modules

[paramio](#), [pixlib](#), [stackio](#)

sherpa

[autoest](#), [back](#), [berrors](#), [bsyserrors](#), [bye](#), [calc](#), [kcorr](#), [coord](#), [data](#), [dataspace](#), [dcounts](#), [dollarsign](#), [echo](#), [eflux](#),

Ahelp: guide – CIAO 3.4

eqwidth, erase, fakeit, feffile, flux, get, get analysis, get arf axes, get axes, get coord, get data,
get dcounts sum, get dir, get eflux, get energy axes, get eqwidth, get errors, get filename, get filter,
get filter expr, get fit, get flux2d, get flux str, get fluxed spectrum, get fttest, get lfactorial,
get mcounts sum, get metadata, get pflux, get photon axes, get photon energy axes,
get photon wave axes, get qvalue, get raw axes, get record, get source, get source components,
get statistic, get stats, get syserrors, get verbose, get wave axes, get weights, group, groupbycounts,
guess, is, is subtracted, journal, list, list par, load, load arf, load ascii, load back from, load backset,
load dataset, load fitsbin, load image, load inst, load inst from, load pha, load pha2, load rmf,
mcounts, numbersign, paramest, plot eprof, plot rprof, prompt, read, record, reset, run, save, set,
set analysis, set axes, set backscale, set coord, set data, set dataspace, set dir, set exptime,
set subtract, set verbose, set weights, setback, setdata, setplot, sherpa-module, sherpa plotfns,
sherpa utils, show, simspec, subtract, ungroup, unsubtract, use, version, write

slang

overview, slang, tips

The Chandra X-Ray Center (CXC) is operated for NASA by the Smithsonian
Astrophysical Observatory.
60 Garden Street, Cambridge, MA 02138 USA.
Smithsonian Institution, Copyright © 1998–2006. All rights reserved.

URL:
<http://cxc.harvard.edu/ciao3.4/guide.html>
Last modified: December 2006