



---

*AHELP for CIAO 3.4*

## **pix\_set\_tdetsys**

Context: [pixlib](#)*Jump to:* [Description](#) [Example](#) [Bugs](#) [See Also](#)

---

## Synopsis

Set the tiled detector plane system for the pixlib module.

## Syntax

```
pix_set_tdetsys( String_Type sys )
```

## Description

Set the tiled detector (TDET) plane pixel system to be used by the pixlib routines. This function should be rarely used, since the default setting is correct for nearly all users.

## Example

```
pix_set_tdetsys( "ACIS-2.2" );
```

This call sets the TDET system to be "ACIS-2.2".

## Bugs

See the [bugs page for the pixlib library](#) on the CIAO website for an up-to-date listing of known bugs.

## See Also

*modules*

[pixlib](#)

*pixlib*

[pix\\_disp\\_config](#), [pix\\_set\\_aimpoint](#), [pix\\_set\\_detector](#), [pix\\_set\\_fpsys](#), [pix\\_set\\_gdpsys](#), [pix\\_set\\_grating](#),  
[pix\\_set\\_gzo](#), [pix\\_set\\_simoffset](#)

## Ahelp: pix\_set\_tdetsys – CIAO 3.4

60 Garden Street, Cambridge, MA 02138 USA.  
Smithsonian Institution, Copyright © 1998–2006. All rights reserved.

Last modified: December 2006