



AHELP for CIAO 3.4

xsbvapec

Context: [sherpa](#)

Jump to: [Description](#) [Bugs](#) [See Also](#)

Synopsis

APEC thermal plasma model with variable abundances and velocity broadening as a free parameter. XSpec model.

Description

A version of the xsvapec model ("ahelp xsvapec"). Thermal line broadening is automatically included.

xsbvapec Parameters

Number	Name	Description
1	kT	plasma temperature in keV
2–14	(element)	Abundances for He, C, N, O, Ne, Mg, Al, Si, S, Ar, Ca, Fe, Ni with respect to Solar. Abundances are set by the xspecabundan command.
15	redshift	redshift, z
16	Velocity	velocity broadening [km/s]
17	norm	$10^{-14} / (4 \pi (D_A(1+z))^2) \int n_e n_H dV$, where D_A is the angular size distance to the source (cm), n_e is the electron density (cm^{-3}), and n_H is the hydrogen density (cm^{-3})

This information is taken from the [XSpec User's Guide](#). Version 11.3.1 of the XSpec models is supplied with CIAO 3.2.

Bugs

For a list of known bugs and issues with the XSPEC models, please visit the [XSPEC bugs page](#).

See Also

sherpa

[atten](#), [bbody](#), [bbodyfreq](#), [beta1d](#), [beta2d](#), [box1d](#), [box2d](#), [bpl1d](#), [const1d](#), [const2d](#), [cos](#), [delta1d](#), [delta2d](#), [deref](#), [devaucouleurs](#), [edge](#), [erf](#), [erfc](#), [farf](#), [farf2d](#), [fpsf](#), [fpsf1d](#), [frmf](#), [gauss1d](#), [gauss2d](#), [gridmodel](#), [hubble](#), [jdpileup](#), [linebroad](#), [lorentz1d](#), [lorentz2d](#), [models](#), [nbeta](#), [ngauss1d](#), [poisson](#), [polynom1d](#), [polynom2d](#), [powlaw1d](#), [ptsrc1d](#), [ptsrc2d](#), [rsp](#), [rsp2d](#), [schechter](#), [shexp](#), [shexp10](#), [shlog10](#), [shlog](#), [sin](#), [sqrt](#), [steph1d](#), [steplo1d](#), [tan](#), [tpsf](#), [tpsf1d](#), [usermodel](#), [xs](#), [xsabsori](#), [xsacisabs](#), [xsapec](#), [xsbapec](#), [xsbbody](#), [xsbbodyrad](#), [xsbextrav](#), [xsbextriv](#), [xsbknpower](#), [xsbmc](#), [xsbremss](#), [xsc6mekl](#), [xsc6pmekl](#), [xsc6pvmkl](#), [xsc6vmekl](#), [xscabs](#), [xscemekl](#), [xsevmkl](#), [xscflow](#), [xscompbb](#), [xscompls](#), [xscompst](#),

Ahelp: xsbvapec – CIAO 3.4

[xscomptt](#), [xsconstant](#), [xscutoffpl](#), [xscyclabs](#), [xsdisk](#), [xsdiskbb](#), [xsdiskline](#), [xsdiskm](#), [xsdisko](#), [xsdiskpn](#),
[xsdust](#), [xsedge](#), [xsequil](#), [xsexpabs](#), [xsexpdec](#), [xsexpfac](#), [xsgabs](#), [xsgaussian](#), [xsgnei](#), [xsgrad](#), [xsgrbm](#),
[xshighecut](#), [xshrefl](#), [xslaor](#), [xslorentz](#), [xsmeka](#), [xsmekal](#), [xsmkcflow](#), [xsnei](#), [xsnotch](#), [xsnpshock](#), [xnsa](#),
[xsnteea](#), [xspcfabs](#), [xspgpwrlw](#), [xspextrav](#), [xspextriv](#), [xspfabs](#), [xsplabs](#), [xsplcabs](#), [xsposm](#), [xspowerlaw](#),
[xspshock](#), [xspwab](#), [xsraymond](#), [xsredden](#), [xsredge](#), [xsrefsch](#), [xssedov](#), [xssmedge](#), [xsspline](#), [xssrcut](#),
[xssresc](#), [xssssice](#), [xssstep](#), [xstbabs](#), [xstbgrain](#), [xstbvarabs](#), [xsuvred](#), [xsvapec](#), [xsvarabs](#), [xsvbremss](#),
[xsvequil](#), [xsvgnei](#), [xsvmcflow](#), [xsvmeka](#), [xsvmekal](#), [xsvnei](#), [xsvnpshock](#), [xsvphabs](#), [xsvpshock](#),
[xsvraymond](#), [xsvsedov](#), [xswabs](#), [xswndabs](#), [xsxion](#), [xszbbody](#), [xszbremss](#), [xszedge](#), [xszgauss](#),
[xszhighect](#), [xszpcfabs](#), [xszphabs](#), [xszpowerlw](#), [xsztbabs](#), [xszvarabs](#), [xszvfeabs](#), [xszvphabs](#), [xszwabs](#),
[xszwndabs](#)

slang

[usermodel](#)

The Chandra X-Ray Center (CXC) is operated for NASA by the Smithsonian
Astrophysical Observatory.
60 Garden Street, Cambridge, MA 02138 USA.
Smithsonian Institution, Copyright © 1998–2006. All rights reserved.

URL:
<http://cxc.harvard.edu/ciao3.4/xsbvapec.html>
Last modified: December 2006