

*AHELP for CIAO 3.4***xszbremss**Context: [sherpa](#)*Jump to:* [Description](#) [Bugs](#) [See Also](#)

## Synopsis

Redshifted thermal bremsstrahlung. XSpec model.

## Description

A thermal bremsstrahlung spectrum based on the Kellogg, Baldwin and Koch (ApJ 199, 299) polynomial fits to the Karzas and Latter (ApJ Suppl 6, 167) numerical values. A routine from Kurucz (private communication) is used for low temperatures.

### xszbremss Parameters

Number	Name	Description
1	kT	plasma temperature in keV
2	Redshift	redshift, z
3	norm	(3.02e-15/4/pi/((D*(1+z))^2) Int n_e n_I dV where n_e is the electron density (cm^-3), n_I is the ion density (cm^-3), and D is the angular size distance to the source (cm)

This information is taken from the [XSpec User's Guide](#). Version 11.3.1 of the XSpec models is supplied with CIAO 3.2.

## Bugs

For a list of known bugs and issues with the XSPEC models, please visit the [XSPEC bugs page](#).

## See Also

*sherpa*

[atten](#), [bbody](#), [bbodyfreq](#), [beta1d](#), [beta2d](#), [box1d](#), [box2d](#), [bp11d](#), [const1d](#), [const2d](#), [cos](#), [delta1d](#), [delta2d](#), [dered](#), [devaucouleurs](#), [edge](#), [erf](#), [erfc](#), [farf](#), [farf2d](#), [fpsf](#), [fpsf1d](#), [frmf](#), [gauss1d](#), [gauss2d](#), [gridmodel](#), [hubble](#), [jdpileup](#), [linebroad](#), [lorentz1d](#), [lorentz2d](#), [models](#), [nbeta](#), [ngauss1d](#), [poisson](#), [polynom1d](#), [polynom2d](#), [powlaw1d](#), [ptsrc1d](#), [ptsrc2d](#), [rsp](#), [rsp2d](#), [schechter](#), [shexp](#), [shexp10](#), [shlog10](#), [shlog](#), [sin](#), [sqrt](#), [stephi1d](#), [stepl01d](#), [tan](#), [tpsf](#), [tpsf1d](#), [usermodel](#), [xs](#), [xsabsori](#), [xsacisabs](#), [xsappec](#), [xsbapec](#), [xsbbbody](#), [xsbbbodyrad](#), [xsbxrav](#), [xsbxriv](#), [xsbknpower](#), [xsbmcl](#), [xsbrems](#), [xsbvapc](#), [xsc6mekl](#), [xsc6pmekl](#), [xsc6pvml](#), [xsc6vmekl](#), [xscabs](#), [xscemekl](#), [xscenvml](#), [xscflow](#), [xscompb](#), [xscompls](#), [xscompst](#), [xscomptt](#), [xsconstant](#), [xscutoffpl](#), [xscyclabs](#), [xsdisk](#), [xsdiskbb](#), [xsdiskline](#), [xsdiskm](#), [xsdisko](#), [xsdiskpn](#), [xsdust](#), [xsedge](#), [xsequil](#), [xsepxabs](#), [xsepxdec](#), [xsexfac](#), [xsgabs](#), [xsgaussian](#), [xsgnei](#), [xgrad](#), [xsgrbm](#), [xshighecut](#), [xshrefl](#), [xslaor](#), [xslorentz](#), [xsmeka](#), [xsmekal](#), [xsmkcflow](#), [xsnei](#), [xsnotch](#), [xsnphshock](#), [xsnsa](#), [xsntee](#), [xspcfabs](#), [xspewpwlw](#), [xspexrav](#), [xspexriv](#), [xspabs](#), [xsplabs](#), [xsplicabs](#),

## Ahelp: xszbremss – CIAO 3.4

[xspowerlaw](#), [xspshock](#), [xspwab](#), [xsraymond](#), [xsredden](#), [xsredge](#), [xsrefsch](#), [xssedov](#),  
[xssmedge](#), [xsspline](#), [xssrcut](#), [xssresc](#), [xsssicc](#), [xsstep](#), [xstbab](#), [xstbgrain](#), [xstbvarabs](#), [xsvred](#),  
[xsvap](#), [xsvvarabs](#), [xsvbremss](#), [xsvequil](#), [xsvgnei](#), [xsvmcflow](#), [xsvmek](#), [xsvmekal](#), [xsvnei](#),  
[xsvnpshock](#), [xsvphabs](#), [xsvpshock](#), [xsvraymond](#), [xsvsedov](#), [xswabs](#), [xswndabs](#), [xsxion](#), [xszbbbody](#),  
[xszedge](#), [xszgauss](#), [xszhighect](#), [xszpcfabs](#), [xszphabs](#), [xszpowerlw](#), [xsztbabs](#), [xszvarabs](#), [xszvfeabs](#),  
[xszvphabs](#), [xszwabs](#), [xszwndabs](#)

*slang*

[usermodel](#)

---

The Chandra X-Ray Center (CXC) is operated for NASA by the Smithsonian  
Astrophysical Observatory.  
60 Garden Street, Cambridge, MA 02138 USA.  
Smithsonian Institution, Copyright © 1998–2006. All rights reserved.

URL:

<http://cxc.harvard.edu/ciao3.4/xszbremss.html>

Last modified: December 2006